

Hubei Chengli Special Automobile Co.,Ltd

Add:South Suburb Chengli Automobile Industry Park,Suizhou City,Hubei Province,China

Item No.	Parameters	
Overall Dimension	8000x2500x3450 mm	
Driving Model	Right hand drive for Zimbabwe	
Gross Vehicle Weight	18,000 kg	
Curb Weight	10,500 kg	
Payload	7,500 kg	
Wheel Base	4500 mm	
Front Axle	4,800kg	
Rear Axle	10,000kg	
Engine	Model	WP6.210E32
	Type	WEICHAO diesel engine,6-cylinders in a line,Water cooled,turbocharged,after cooled , cold start.
	Horse Power	210Hp
	Max output power	155kW
	Emission standard	Euro III
	Displacement	6230ml
	Rated Speed	1400~1600 rpm
Gearbox	<ul style="list-style-type: none"> ● Manual type, ● FAST 8JS85TM, ● 8 forward gears & 2 reverse 	
Cabin	<ul style="list-style-type: none"> ● Original SHACMAN L3000 cabin with one sleeper ● Right Hand Driving for Zimbabwe ● with air conditioner ● Central lock ● Electric window 	
Clutch	Reinforced diaphragm clutch	
Tire	10.00R20, 6 pieces with 1 spare tire.	

Contact us: Shirley Fu Mobile:+86 135 4506 4324(whatsApp)

Email: shirley@clw-autos.com Website: <https://www.clw-autos.com/>

Hubei Chengli Special Automobile Co.,Ltd

Add:South Suburb Chengli Automobile Industry Park,Suizhou City,Hubei Province,China

Fuel box	200L /steel material
Exhaust Pipe	At front of Cabin for safety
LPG tank	
Filling Medium	Liquefied Petroleum Gas
Working temperature	-40~50 °C
Volume:	15,000Liters
Tank material:	Q345R
Tank diameter:	1900mm
Tank thickness:	10mm
End plate thickness:	10mm
Tank length:	As designed
Gas phase	Flange type, DN50/2" or according to customer request
Liquid Phase	Flange type, DN50/2" or according to customer request
Filling gas	Propane(LPG)
Working Pressure:	1.61Mpa
Design Pressure	1.71 Mpa
Testing pressure	2.21Mpa
Corrosion Allowance	1.0 mm
Refilling Accessory	
Directly driven by PTO(easy for future maintenance)	
LPG Pump	Chinese brand YQ15-5
	Flow rate:15.5M3/H
	10 Mpa inlet pressure
	780 r/min for rotation speed
LPG Flow meter	<ul style="list-style-type: none"> ● TSC-50 model ● Showing filling volume ● Inlet/Outlet 2"/DN50

Contact us: Shirley Fu Mobile:+86 135 4506 4324(whatsApp)

Email: shirley@clw-autos.com Website: <https://www.clw-autos.com/>

Hubei Chengli Special Automobile Co.,Ltd

Add:South Suburb Chengli Automobile Industry Park,Suizhou City,Hubei Province,China

	<ul style="list-style-type: none"> ● Maximum Capacity:76~380lpm ● With Mechanical Register, strainer, air eliminator, Diff. Valve and Back Check Valve ● with Ticket Printer. 	
Filling hose	15M,retractable with REGO adapter	
Level Gauge	<ul style="list-style-type: none"> ● Chinese brand YWJ-25 ● Float Ball type ● at the rear of tank ● Nominal Pressure 2.5 mpa ● Showing in percentage 	
Safety Valve	Model No.	A412F-25-16
	Type	Built-in
	Nominal Pressure	2.5 Mpa
Safety return valve	<ul style="list-style-type: none"> ● 1 PC 	
Pipeline safety valve	<ul style="list-style-type: none"> ● 1 PC 	
Equipment and Valve Box	<ul style="list-style-type: none"> ● Located at side of LPG bobtail (opposite driver's side) ● Strong design with rolling off cabinet 	
Manhole	<ul style="list-style-type: none"> ● DN450 	
Thermometer	<ul style="list-style-type: none"> ● 1 pc ● WTQ-280 	
Pressure Gauge	<ul style="list-style-type: none"> ● 2 pc ● YN-100T 	
Emergency shut off Valve	2 pcs with switch inside valve box and at rear of truck	
Fender	Steel	
Fire Extinguisher Holder	1 set	
Static conductive tape	1 pc	

Contact us: Shirley Fu Mobile:+86 135 4506 4324(whatsApp)

Email: shirley@clw-autos.com Website: <https://www.clw-autos.com/>